




EN3 SERIES OF EXTINGUISHERS

**RIGHT EXTINGUISHER TYPE
FOR THE RIGHT FIRE TYPE**

RE-ENGINEERED

**WORLD'S LARGEST
EN3 APPROVED RANGE**

**HIGHEST FIRE RATINGS
IN THE MARKET**

ADVANCED TECHNOLOGY

SFFECO.com

1kg ABC Powder
2kg ABC Powder
3kg ABC Powder
4kg ABC Powder
6kg ABC Powder
6kg ABC Powder High Performance
9kg ABC Powder
12kg ABC Powder
6kg ABC Powder Cartridge
9kg ABC Powder Cartridge

4kg BC Powder
6kg BC Powder
9kg BC Powder

3Ltr AFFF Foam
6Ltr AFFF Foam
6Ltr High Performance Foam
9Ltr AFFF Foam
6Ltr AFFF Foam Cartridge
9Ltr AFFF Foam Cartridge

6Ltr AFFF Foam Cartridge High Performance
9Ltr AFFF Foam Cartridge High Performance

6Ltr AR Foam
9Ltr AR Foam

6Ltr Water
9Ltr Water
9Ltr Water with Freeze Protected -20°C
9Ltr Water Cartridge

3Ltr Wet Chemical
6Ltr Wet Chemical

3Ltr Aqua Spray
6Ltr Aqua Spray

2kg CO2 Carbon Steel
5kg CO2 Carbon Steel

3L Water Mist
6Ltr Water Mist

THE

RANGE

**SFFECO**
firefix
EN3 SERIES OF EXTINGUISHERS



The new re-engineered SFFECO FireFix range of fire extinguishers is a revolutionary re-engineered product range manufactured strictly under ISO9001 processes, British Standards Institute (BSI) (BS EN3) and Pressure Equipment Directive (P.E.D / CE) approvals; ensuring you the absolute quality available in any market.

With more than 3 Decades of Excellence, it is only natural that SFFECO brings out this new highly engineered and largest range of extinguishers all EN3 approved and carrying the highest fire ratings. The SFFECO's Research and Development department knows and understands fire and the damage it can cause in mere seconds. That is why SFFECO has spent significant amount of time and money engineering and approving a product that WILL work when you need it and will do exactly the job that it is designed to do everytime (as long as it is maintained as per specifications).

No longer should the customer accept the one type fits all approach. Not just an extinguisher should be selected for the fire risk but the BEST type of extinguisher agent should be selected.



PDK4D

4 KG BC POWDER

SPECIALIST BC POWDER



SPECIALIST BC POWDER is primarily a mix of potassium bicarbonate, urea complex and potassium chloride (is not sodium bicarbonate). The super strength BC powder is 2-3 times more effective on Class B and C fires than any other agent. It works by firstly applying a coating to the fire which causes a powder dust blanket over the fire and during the burning process it releases Carbon Dioxide which suffocates the fire.



FEATURES

- EN3 Kitemark approval by BSI in the UK and CE marked
- Extremely high fire ratings offering maximum fire fighting ability for size and weight
- Revolutionary new CE aluminium valve design
- Primarily designed for very high risk sites where B & C risk occurs
- Specially designed nozzle for maximum discharge distance, accuracy and time
- Available in 4, 6 & 9 Kgs

INDUSTRIES



a product of **SFFECO**



PDK4D

4 KG BC POWDER

SFFECO.com



183B Class E upto 35 kV C FIRE RATING	BC POWDER AGENT	4 KG CAPACITY	N₂ NITROGEN PROPELLANT	-20°C - +60°C OPERATING TEMPERATURE
14 BAR WORKING PRESSURE	27 BAR TEST PRESSURE	16.0 SEC DISCHARGE TIME	>5.0 MTR RANGE OF THROW	PVC 10 480 MM HOSE TYPE AND LENGTH
483 MM HEIGHT	130 MM DIAMETER	6.1 KG FILLED WEIGHT	STEEL LOW-CARBON MATERIAL	

DECADES
of
EXCELLENCE

SAUDI FACTORY FOR FIRE EQUIPMENT
المصنع السعودي لأجهزة الإطفاء





PDK6D

6 KG BC POWDER

SPECIALIST BC POWDER



SPECIALIST BC POWDER is primarily a mix of potassium bicarbonate, urea complex and potassium chloride (is not sodium bicarbonate). The super strength BC powder is 2-3 times more effective on Class B and C fires than any other agent. It works by firstly applying a coating to the fire which causes a powder dust blanket over the fire and during the burning process it releases Carbon Dioxide which suffocates the fire.



FEATURES

- EN3 Kitemark approval by BSI in the UK and CE marked
- Extremely high fire ratings offering maximum fire fighting ability for size and weight
- Revolutionary new CE aluminium valve design
- Primarily designed for very high risk sites where B & C risk occurs
- Specially designed nozzle for maximum discharge distance, accuracy and time
- Available in 4, 6 & 9 Kgs

INDUSTRIES



a product of **SFFECO**



PDK6D

6 KG BC POWDER

SFFECO.com



233B Class E upto 35 kV C FIRE RATING	BC POWDER AGENT	6 KG CAPACITY	N₂ NITROGEN PROPELLANT	-20°C - +60°C OPERATING TEMPERATURE
14 BAR WORKING PRESSURE	27 BAR TEST PRESSURE	17.0 SEC DISCHARGE TIME	>5.5 MTR RANGE OF THROW	PVC 10 500 MM HOSE TYPE AND LENGTH
494 MM HEIGHT	163 MM DIAMETER	9.4 KG FILLED WEIGHT	STEEL LOW-CARBON MATERIAL	

DECADES
of
EXCELLENCE

SAUDI FACTORY FOR FIRE EQUIPMENT
المصنع السعودي لأجهزة الإطفاء





PDK9D

9 KG BC POWDER

SPECIALIST BC POWDER



SPECIALIST BC POWDER is primarily a mix of potassium bicarbonate, urea complex and potassium chloride (is not sodium bicarbonate). The super strength BC powder is 2-3 times more effective on Class B and C fires than any other agent. It works by firstly applying a coating to the fire which causes a powder dust blanket over the fire and during the burning process it releases Carbon Dioxide which suffocates the fire.



FEATURES

- EN3 Kitemark approval by BSI in the UK and CE marked
- Extremely high fire ratings offering maximum fire fighting ability for size and weight
- Revolutionary new CE aluminium valve design
- Primarily designed for very high risk sites where B & C risk occurs
- Specially designed nozzle for maximum discharge distance, accuracy and time
- Available in 4, 6 & 9 Kgs

INDUSTRIES



a product of **SFFECO**



SFFECO.com

PDK9D

9 KG BC POWDER



233B Class E upto 35 kV C FIRE RATING	BC POWDER AGENT	9 KG CAPACITY	N₂ NITROGEN PROPELLANT	-20°C - +60°C OPERATING TEMPERATURE
14 BAR WORKING PRESSURE	27 BAR TEST PRESSURE	18.0 SEC DISCHARGE TIME	>6.0 MTR RANGE OF THROW	PVC 13 560 MM HOSE TYPE AND LENGTH
556 MM HEIGHT	183 MM DIAMETER	13.1 KG FILLED WEIGHT	STEEL LOW-CARBON MATERIAL	

DECADES
of
EXCELLENCE

SAUDI FACTORY FOR FIRE EQUIPMENT
المصنع السعودي لأجهزة الإطفاء



SAUDI FACTORY FOR FIRE EQUIPMENT reserves the right to make revisions to its products and their specifications, and to this catalogue and related information, without prior notice. All products must be installed and maintained in accordance with applicable instructions and/or standards.

SFFECO
GLOBAL
enterprise



SAUDI FACTORY FOR FIRE EQUIPMENT
المصنع السعودي للأجهزة الإطفاء

